

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10481	(types or configuration) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:03
L2	3	(types or configuration) with (OS or "operating system") with look\$up and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:03
L3	8	identify\$4 with (OS or "operating system") with look \$up and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:06
L5	37	(HBA or "host bus adapter") with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:33
L6	13	(HBA or "host bus adapter") with (OS or "operating system") same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:36
L7	13	(HBA or "host bus adapter") with (OS or "operating system") same (WWN or WWNN or WWPNN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:37
L10	5860	boot\$4 with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:54
L11	11	boot\$4 with (OS or "operating system") same (WWN or WWPNN or WWNN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:55

L12	38	boot\$4 with (OS or "operating system") and (WWN or WWWPN or WWNN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:56
L13	27	l12 not l11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:57
L14	13	(HBA or "host bus adapter") with type near2 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:32
L15	14	(OS or "operating system") near3 (HBA or "host bus adapter") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:34
L16	7	l15 not l14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:34
L17	9	identify\$4 with (OS or "operating system") with (HBA or "host bus adapter") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:36
L18	1142	identify\$4 near3 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38
L19	1142	identify\$4 near3 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38
L20	47	identify\$4 near3 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38

L21	9	identify\$4 near3 type near2 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38
L22	17	identifier near2 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:26
L23	0	database with look\$up same identifier near2 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:46
L24	0	database with look\$up same identifier near2 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:47
L25	193	database with look\$up same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:47
L26	21	database with look\$up with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:47
L27	622	updat\$4 adj2 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34
L28	0	updat\$4 adj2 (OS or "operating system") with requirement and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34
L29	87	{updat\$4 adj2 (OS or "operating system")),ab,ti. and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34

L30	76867	("709").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34
L31	3	I29 and I30	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 13:35
L32	0	updat\$4 adj2 (OS or "operating system") with specification and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:38
L33	0	updat\$4 adj2 (OS or "operating system") with specification and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:38
L34	33	updat\$4 with (OS or "operating system") with specification and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:38
L35	23	updat\$4 with (OS or "operating system") with requirement and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:39
L36	416	updat\$4 with (OS or "operating system") with (computer or user) near2 (system or specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:41
L37	257	updat\$4 with (OS or "operating system") adj3 (computer or user) near2 (system or specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:41
L38	46	updat\$4 adj2 (OS or "operating system") adj3 (computer or user) near2 (system or specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:42

L39	0	updat\$4 adj2 (OS or "operating system") adj3 (computer or user) near2 (specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:42
L40	2	updat\$4 with (OS or "operating system") adj3 (computer or user) near2 (specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:42
L41	0	(send\$4 or transmit\$4) near2 updat\$4 with (OS or "operating system") adj3 (computer or user) near2 (specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
L42	31	(send\$4 or transmit\$4) near2 updat\$4 with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
L43	0	(send\$4 or transmit\$4) near2 updat\$4 with (OS or "operating system") same "system requirement" and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
L44	0	updat\$4 with (OS or "operating system") same "system requirement" and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
L45	0	updat\$4 with (OS or "operating system") same ("system requirement" or "user requirement") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
L46	0	updat\$4 with (OS or "operating system") same ("system requirement" or "user requirement" or "client requirement") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:46
S1	2	("6810478").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 09:20

S2	443834	Fibre Channel with WWN and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:09
S3	443823	Fibre Channel with WWN with log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:13
S4	1	"Fibre Channel" with WWN with log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:14
S5	1	"Fibre Channel" with WWN same log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:14
S6	5	"Fibre Channel" with WWN and log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:21
S7	2	("20020162010").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:22
S8	14	disk\$less with host with boot\$4 and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:29
S9	22	disk\$less same host same boot \$4 and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:29
S10	8	S9 not S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:31

S11	6120	bootstrap and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:52
S12	16	bootstrap and "Fiber Channel" and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:37
S13	42	boot\$4 with SAN and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:37
S14	0	{SAN or "storage area network") with (boot\$4) with (remote or disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:53
S15	8	{SAN or "storage area network") same (boot\$4) same (remote or disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:07
S16	1	{SAN or "storage area network") same (boot\$4) same (disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:08
S17	123	(boot\$4) same (disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:08
S18	7	((boot\$4) same (disk\$less)).ab, ti. and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11
S19	259	((boot\$4) with (disk\$less))."." and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11

S20	101	((boot\$4) with (disk\$less))and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11
S21	35	((boot\$4) with (disk\$less) and SAN)and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11
S22	98	(configur\$4) same (SAN or "storage area network") same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 09:24
S23	2	(configur\$4) same (SAN or "storage area network") same (stor\$4) with (different or many or several) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 13:17
S24	304	(stor\$4) with (multiple or many or several) with different same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 13:18
S25	0	(stor\$4) with (multiple or many or several) with different same (OS or "operating system") with WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:02
S26	1	(stor\$4) with (multiple or many or several) with different same (OS or "operating system") and WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 13:18
S27	15213926	boot\$4 with (OS or "operating system") (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S28	5530	boot\$4 with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S29	7	boot\$4 with (OS or "operating system") same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:07

S30	34	boot\$4 with (OS or "operating system") and WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:08
S31	27	S30 not S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:08
S32	25	("20020124124" "20030028695" "20030046583" "20030126315" "20030133464" "5524253" "5838907" "5930823" "6021436" "6029196" "6421723" "6446141" "6480901" "6480955" "6564228" "6640278" "6708265").PN. OR ("6834299"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/21 16:25
S33	171	(OS or "operating system") and WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:13
S34	40	(OS or "operating system") same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:13
S35	2	("20020083339").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:44
S36	10	(OS or "operating system") same WWN same boot\$4 and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:48
S37	36	boot\$4 same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:52
S38	26	S37 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:52

S39	35	storage near3 device with (maintain or original) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:13
S40	289	WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:21
S41	15	WWN with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:22
S42	0	WWN same (different or many) near3 (types or configuration) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:29
S43	0	WWN same (different or many) with (types or configuration) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:29

EAST Search History (Interference)

<This search history is empty>

7/ 10/ 2009 1:59:02 PM**C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\09944288_diskless_boot_SAN.wsp**